

# Vermont Sales


SOUTH AFRICA'S #1 SUPPLIER (Pty) Ltd  
of power tool accessories  
Powered by Service Reg. No 2000/010105/07

**Tork Craft**<sup>TM</sup>  
Tools for every job

**TORK CRAFT 6 DRAWER ROLLER CABINET ON  
CASTORS WITH 184PC OF STOCK**

## Specification Sheet


Company Name	Vermont Sales (Pty) Ltd
Trade Name (Brand)	Tork Craft
Product Description	Tork Craft 6 Drawer Roller Cabinet On Castors
Product Code	TC620050
Barcode	6009515877002



<b>Packaging Type</b>	Cardboard Box
<b>Packaging Dimensions</b>	790 (L) x 490 (W) x 780mm (H)
<b>Trolley Dimensions</b>	840(L)(Including Handle) (770 Excluding) x 460(W) x 900mm(H)
<b>Packaging Weight</b>	54kg
<b>Material</b>	Aluminium: Drawer handle
	Mild Steel: Tool trolley body, drawers
	Chrome Vanadium Steel (CR-V): Sockets, spanners, hand tools
	Rubber: Castors, handles
	Plastic: Body panels, handles, top divider
	Foam: Drawer inserts
	High Carbon Steel: Files, hammers
	Fibreglass: Hammer Handle
<b>Features</b>	Nylon: Mallet head, handles
	Tool trolley with 6 drawers
	2 x Fixed & 2 x Lockable Swivel Castors
	4 x Standard Lockable Drawers
	2 x Deep Lockable Drawers
	35mm Ball Bearing Drawer Slides
	Storage Divider Top Compartment
	Powder Coated with plastic panels
	Side lockable cabinet door
	Large drawer lock release button
Cut-out foam inserts	
<b>Application</b>	Automotive maintenance
	Steel fabrication
	General machine repairs
	Electrical work
	Wood working
	DIY

## CONTENT LIST:

### DRAWER 1



### Drive Handle

- CrV (Chrome Vanadium) steel
- ¼" Drive (Male & Female Square)
- Plastic Handle
- Length: 150mm

### **Spark Plug Sockets**

- CrV (Chrome Vanadium) steel
- Matt chrome Plated
- $\frac{3}{8}$ " Drive
- 6 Point

16mm x 65mm	21mm x 65mm
-------------	-------------

### **Reversible Ratchet**

- CrV (Chrome Vanadium) steel
- Matt chrome plated
- Rubber handle with hanging hole
- Reversible rocker switch
- Offset arm
- Socket release button

$\frac{1}{4}$ " x 170mm	$\frac{3}{8}$ " x 210mm	$\frac{1}{2}$ " x 270mm
-------------------------	-------------------------	-------------------------

### **Extension Bar**

- CrV (Chrome Vanadium) steel
- Matt chrome plated

$\frac{1}{4}$ ", 50mm	$\frac{3}{8}$ ", 76mm	$\frac{1}{2}$ ", 125mm
$\frac{1}{4}$ ", 100mm	$\frac{3}{8}$ ", 150mm	$\frac{1}{2}$ ", 250mm

### **Sliding T-Bar**

- CrV (Chrome Vanadium) steel
- Matt chrome Plated

$\frac{1}{4}$ " x 110mm	$\frac{1}{2}$ " Sliding Adapter, $\frac{3}{8}$ " drive
-------------------------	--------------------------------------------------------

### **Universal Joint**

- CrV (Chrome Vanadium) steel
- Matt chrome Plated


$\frac{1}{4}$ " x 38mm	$\frac{3}{8}$ " x 55mm	$\frac{1}{2}$ " x 75mm
------------------------	------------------------	------------------------

## Sockets

- CrV (Chrome Vanadium) steel
- Matt chrome Plated

¼" 12 Point	⅜", 12 Point	½", 12 Point
4mm	8mm	10mm
4.5mm	9mm	11mm
5mm	10mm	12mm
5.5mm	11mm	13mm
6mm	12mm	14mm
7mm	13mm	15mm
8mm	14mm	16mm
9mm	15mm	17mm
10mm	16mm	18mm
11mm	17mm	19mm
12mm	18mm	21mm
13mm	19mm	22mm
¼" Hex Bit Adapter	20mm	23mm
	21mm	24mm
	22mm	27mm
	21mm	30mm
		32mm

## DRAWER 2



### Combination Spanner

- CrV (Chrome Vanadium) steel
- Matt chrome Plated
- Hardened and tempered
- Drop forged
- Open ended and 12 point ring spanner

6mm	12mm	17mm
8mm	13mm	18mm
9mm	14mm	19mm
10mm	15mm	
11mm	16mm	

### **Deep Wall Sockets**

- 12 Point, ¼" Drive
- CrV (Chrome Vanadium) steel
- Matt chrome Plated
- Length: 50mm

4mm	7mm	10mm
5mm	8mm	11mm
6mm	9mm	12mm

### **Hex Key Set**

- Ball Point
- CrV (Chrome Vanadium) steel, Matt chrome Plated
- Key Holder

1.5mm	3mm	6mm
2mm	4mm	8mm
2.5mm	5mm	10mm

### **Bit Sockets**

- CrV (Chrome Vanadium) steel
- ¼" Drive
- Length: 38mm

H2 (Hex)	T9 (Torx)	PH1 (Phillips)
H2.5 (Hex)	T10 (Torx)	PH2 (Phillips)
H3 (Hex)	T15 (Torx)	PH3 (Phillips)
H4 (Hex)	T20 (Torx)	PZ1 (Pozi)
H5 (Hex)	T25 (Torx)	PZ2 (Pozi)
H6 (Hex)	T27 (Torx)	PZ3 (Pozi)
H8 (Hex)	T30 (Torx)	SL4 (Slotted)
T8 (Torx)	T40 (Torx)	SL6 (Slotted)

### DRAWER 3



### Files

- Soft rubber grip handle with hanging hole
- High carbon steel shaft

Round, 250mm	Flat, 250mm
Half Round, 250mm	



### **Screwdriver Bits**

- 6150 Tool steel
- Matt chrome Plated
- Length: 25mm

Bit holder 65mm length x ¼" Hex Shank				
H1.5(Hex)	H5.5(Hex)	T15 (Torx)	PH0	PZ2 (Pozi)
H2 (Hex)	H6 (Hex)	T20 (Torx)	PH1	PZ3 (Pozi)
H2.5(Hex)	H8 (Hex)	T25 (Torx)	PH2	SL3 (Slotted)
H3 (Hex)	T8 (Torx)	T27 (Torx)	PH3	SL4 (Slotted)
H4 (Hex)	T9 (Torx)	T30 (Torx)	PZ0 (Pozi)	SL5 (Slotted)
H5 (Hex)	T10 (Torx)	T40 (Torx)	PZ1 (Pozi)	SL7 (Slotted)
Drive Adapter: ¼" Hex to ¼" SQ Drive				

### **Screwdrivers**

- Chrome Vanadium (CrV) steel shank
- Magnetic tip
- Soft rubber grip handle with hanging hole


SL 8 x 150mm (Slotted)	PH 3 x 150mm (Phillips)	T10 x 75mm (Torx)
SL 6 x 100mm (Slotted)	PH 2 x 100mm (Phillips)	T15 x 100mm (Torx)
SL 5 x 125mm (Slotted)	PH 1 x 75mm (Phillips)	T20 x 100mm (Torx)
SL 4 x 100mm (Slotted)		T25 x 100mm (Torx)
Drive Handle x 100mm		T30 x 125mm (Torx)

### **Precision Screwdrivers**

- Rotating end cap
- Textured plastic grip handle

T6 x 50mm (Torx)	PH0 x 50mm (Phillips)	SL1.5 x 50mm (Slotted)
T8 x 50mm (Torx)	PH00 x 50mm (Phillips)	SL2.5 x 50mm (Slotted)

## DRAWER 4



### Machinist Hammer

- Bevelled square striking force
- Taper peen for splitting applications
- Fibreglass handle, Length: 300mm
- Weight: 475g

### Nylon Hammer

- Cast Iron head
- Smooth steel handle with rubber grip: 300mm
- Rubber and Nylon interchangeable heads, M10 thread

### Pliers

- CrV (Chrome Vanadium) steel
- Hardened edges
- Rubber grip

Long Nose, 170mm	Water Pump Box Joint, 250mm
Combination, 190mm	Side Cutter, 165mm

### **Locking Plier**

- CrV (Chrome Vanadium) steel
- Curved Jaw Locking
- Length: 220mm
- Nickel plated body
- Release lever and adjusting screw

### **Pincer Plier**

- CrV (Chrome Vanadium) steel
- PVC vinyl grip
- Length: 205mm

### **Side Cutter**

- CrV (Chrome Vanadium) steel
- PVC vinyl grip
- Length: 165mm
- Spring loaded jaws

### **Circlip Pliers**

- CrV (Chrome Vanadium) steel
- Rubber grip
- Spring loaded jaws

Bent nose open end 170mm	Straight open end 180mm
Bent nose closed end 170mm	Straight closed end 180mm